

PRINCIPLES OF PARALLEL AND DISTRIBUTED COMPUTING

1. Evolution of Cloud Computing

The evolution of cloud computing can be traced through several major milestones, each representing a significant advancement in computing technology and paradigms.

1.1 Mainframes

Mainframes represent the earliest form of centralized computing power that paved the way for cloud computing concepts.

Characteristics:

- Large, powerful computers capable of handling high volumes of data processing
- Centralized computing model where multiple users access a single, powerful machine

- Utilized multiple processing units to achieve high computational power
- Presented as a single entity to users, despite internal complexity

Significance:

- Introduced the concept of shared computing resources
- Demonstrated the power of centralized computing facilities
- Laid the groundwork for future distributed systems

Limitations:

- High cost of acquisition and maintenance
- Limited scalability compared to modern distributed systems
- Not considered true distributed systems due to centralized nature

1.2 Clusters

Clusters emerged as an alternative to mainframes and supercomputers, offering a more flexible and scalable approach to high-performance computing.

Definition: A cluster is a group of interconnected computers that work together as a single system.

Key Features:

- Multiple standalone computers (nodes) connected via a network
- Shared storage system accessible by all nodes
- Middleware to manage node coordination
- Appears as a single system to end-users

Advantages:

- Improved performance through parallel processing
- Enhanced reliability through redundancy

- More cost-effective than equivalent mainframe systems
- Scalability by adding more nodes

Types of Clusters:

- High-availability clusters
- Load-balancing clusters
- High-performance computing (HPC) clusters

Significance in Cloud Evolution:

- Introduced the concept of distributed computing resources
- Demonstrated the power of commodity hardware for high-performance computing
- Laid the foundation for cloud computing's scalable infrastructure

1.3 Grids

Grid computing represented a further evolution in distributed computing, focusing on large-scale resource sharing across organizational boundaries.

Definition: A grid is a distributed system that enables sharing of heterogeneous resources across different administrative domains.

Key Characteristics:

- Geographically distributed resources
- Heterogeneous nature of shared resources (compute, storage, network)
- Decentralized control and management
- Standard, open protocols and interfaces

Components of a Grid:

Grid fabric (resources)

Core Grid middleware

User-level Grid middleware

Grid applications and portals

Challenges:

Resource discovery and management

Security and access control across domains

Performance variability due to network latency

Complex application development

Significance:

Pioneered large-scale resource sharing across organizations

Introduced concepts of virtual organizations

Developed standards for distributed resource management

Precursor to cloud computing's global resource pooling

1.4 Clouds

Cloud computing represents the current paradigm of distributed computing, offering on-demand access to a shared pool of configurable computing resources.

Definition: Cloud computing is a model for enabling ubiquitous, convenient, on-demand network access to a shared pool of configurable computing resources that can be rapidly provisioned and released with minimal management effort or service provider interaction.

Key Characteristics:

- On-demand self-service
- Broad network access
- Resource pooling

- Rapid elasticity
- Measured service

Service Models:


- Infrastructure as a Service (IaaS)
- Platform as a Service (PaaS)
- Software as a Service (SaaS)

Deployment Models:

- Public cloud
- Private cloud
- Hybrid cloud
- Community cloud

Enabling Technologies:

- Virtualization



NOTES CREATED BY SAHARSH GERA


- Distributed storage systems
- Automated resource management
- Web services and APIs

Advantages:

- Scalability and flexibility
- Cost-efficiency (pay-as-you-go model)
- Reduced time-to-market for applications
- Global accessibility


Challenges:

- Security and privacy concerns
- Vendor lock-in
- Performance variability
- Compliance and legal issues



2. Eras of Computing

The document identifies two fundamental models of computing that have shaped the evolution of computer science and technology.



2.1 Sequential Era (1940s)

The sequential era marked the beginning of modern computing, characterized by the execution of instructions in a linear, step-by-step manner.

Key Characteristics:

- Single processor executing instructions one after another
- Von Neumann architecture as the dominant model
- Limited by the speed of a single processing unit

Important Developments:

- ENIAC (1946): First general-purpose electronic computer
- UNIVAC I (1951): First commercial computer produced in the United States
- IBM 701 (1952): IBM's first commercial scientific computer

Programming Paradigms:

- Machine language programming
- Assembly language programming
- Early high-level languages (e.g., FORTRAN, COBOL)

Limitations:

- Performance bottlenecks due to single instruction execution
- Inability to take advantage of potential parallelism in algorithms
- Difficulty in programming complex applications

2.2 Parallel and Distributed Era (1950s onwards)

The parallel and distributed era emerged as a response to the limitations of sequential computing, aiming to improve performance through concurrent execution.

Key Characteristics:

- Multiple processors working simultaneously on a problem
- Improved performance through concurrent execution
- Complex architectures and programming models

Important Milestones:

- Atlas (1962): One of the first supercomputers with parallel processing capabilities
- ILLIAC IV (1966): One of the first massively parallel computers
- Cray-1 (1976): Vector supercomputer that popularized parallel processing

Parallel Processing Approaches:

- Bit-level parallelism
- Instruction-level parallelism
- Data parallelism
- Task parallelism

Distributed Computing Developments:

- ARPANET (1969): Precursor to the internet, enabling distributed computing

- Ethernet (1973): Local area network technology facilitating distributed systems
- World Wide Web (1989): Enabling global distributed applications

Challenges:

- Complexity in hardware design
- Difficulty in parallel and distributed programming
- Synchronization and communication overhead
- Load balancing and resource management

2.3 Four Key Elements Developed During These Eras

Architecture:

- Evolution from simple von Neumann architecture to complex parallel and distributed architectures
- Development of specialized processors (e.g., GPUs, TPUs)
- Advancements in interconnect technologies

Compilers:

- Progress from simple assemblers to sophisticated optimizing compilers
- Development of parallel compilers capable of automatic parallelization
- Creation of domain-specific languages and compilers

Applications:

- Transition from basic computational tasks to complex, distributed applications
- Emergence of parallel and distributed algorithms

- Development of frameworks for parallel and distributed computing (e.g., MapReduce, Spark)

Problem-solving Environments:

- Evolution from command-line interfaces to graphical and web-based environments
- Development of integrated development environments (IDEs) for parallel and distributed programming
- Creation of workflow management systems for complex distributed computations

